

CERTIFICATE OF ANALYSIS CBD Patches

ANALYSIS CERTIFICATE - PATERZEN CBD PATCH

LOT NO.: HMP15PZ 20210301/1

MANUFACTURED: March 2021

Construction: Face Sheet: 0.102 mm clear FT-200 polyethylene

Adhesive: Moderate molecular weight, non-crosslinking,
Acrylic co-polymer pressure sensitive adhesive.

Release Liner: 90 gm per square meter Semi-bleached densified kraft.

Active Ingredients: Each patch indicated to contain :

CBD Isolate 15mg

Size of Patch: 38 mm square with rounded corners.

Active Ingredients per Patch: 14.99 mg.

CERTIFICATE OF PATCH COMPOSITION:

The computer controlled systems ensure an even coat weight across the entire film at 35gsm of adhesive coat weight. The calculation we conducted to ensure correct dosing is as follows:

Total coated film area is 491.4m²
Total adhesive used is 17,199 grams (491.4m² x 35gsm)

A 38mm x 38mm patch has a surface area of 1444mm², therefore per sqm of film there is 692.5 patches

692.5 Patches per m² x 491.4m² coated = total 340,294.5 patches coated by area.

CBD Isolate Total Added 5100g Divided by 340,294.5 patches = 14.99 mg per patch

We certify that the above mentioned ingredients and amounts listed have been added to the adhesive in the amounts stated and are present in the coated materials. The roll goods were manufactured in March 2021 with an expiration date of 3 years from manufacture of March 2024

Signature: 

Jonathan Bowtell

This information is being supplied on a "CONFIDENTIAL" basis and only intended for use for Registration with the Health Department. Any use of this information for promotional use is prohibited without the written permission from Ultima Flora Holding. It is also understood that a copy of any registration granted from any Health Department will be forwarded to Ultima Flora Holding BV.

